		A
	Application No.	Applicant(s)
	10/046,062	MARSH ET AL.
Notice of Allowability Ex	Examiner	Art Unit
	Boris Benenson	2836
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (one rewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHT (of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in other appropriate commedities. This application is	in this application. If not included nunication will be mailed in due course. THIS
. X This communication is responsive to 8/27/2004.		
2. X The allowed claim(s) is/are <u>1,5-7,9-11 and 13-19</u> .		
3. \boxtimes The drawings filed on <u>1.11.2002</u> are accepted by the Exami	ner.	
 Acknowledgment is made of a claim for foreign priority und a) ☐ All b) ☐ Some* c) ☐ None of the: 	ler 35 U.S.C. § 119(a)-(d)	or (f).
 Certified copies of the priority documents have l 		
2. Certified copies of the priority documents have l		
3. Copies of the certified copies of the priority doct	uments have been receive	ed in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" o noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fil ENT of this application.	e a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives		
3. CORRECTED DRAWINGS (as "replacement sheets") must	be submitted.	
(a) ☐ including changes required by the Notice of Draftsperso	on's Patent Drawing Revie	ew (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment of	or in the Office action of
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	34(c)) should be written on a header according to 37 C	the drawings in the front (not the back) of FR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F	it of BIOLOGICAL MAT	ERIAL must be submitted. Note the
attached Examiner's comment regarding NEGONEMERT	OK THE BEI GOTT OF BI	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of L	nformal Patent Application (PTO-152)
. ☐ Notice of Praftperson's Patent Drawing Review (PTO-948)	_	Summary (PTO-413),
	Paper No	./Mail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	3), 7. ⊠ Examiner's	s Amendment/Comment
. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's	s Statement of Reasons for Allowance
of Biological Material	9. 🗌 Other	
		BRIAN SIRCUS SUPERVISORY PATENT EXAMINER VECKNOLOGY CENTER 2800

Application/Control Number: 10/046,062 Page 2

Art Unit: 2836

Detailed Actions

1. Amendment after final received on 8/27/2004 is entered.

- a. Claims 1, 7, and 11 are amended.
- b. Claims 2-4, 8, and 12 are canceled.

Claims 1, 5-7, 9-11, and 13-19 are pending in the Application.

EXAMINER'S AMENDMENT

2. An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment, which places this application in condition for allowance. During a telephone conversation conducted on 09/14/2004, attorney of the case C. Kelley Crossman requested an extension of time for one MONTH(S) and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Replace Claim 16 with:

"16. A method of protecting at least one peripheral device from an over-voltage condition, the method comprising:

providing a tri-mode over-voltage protection and disconnect circuit apparatus, the apparatus comprising:

Application/Control Number: 10/046,062 Page 3

Art Unit: 2836

a. a first over-voltage protection circuit disposed
between a hot line and a ground line;

- b. a second and a third over-voltage protection circuit disposed between the hot line and a neutral line, each circuit having a thermal fuse in series with the neutral line; and
- c. a fourth over-voltage protection circuit disposed between the neutral line and the ground line;

the apparatus providing AC power to the at least one peripheral device, whereby the hot line and the neutral line are not distributed as an output voltage when the second and third over-voltage protection devices has opened a protective device."

Allowable Subject Matter

3. Claims 1, 5-7, 9-11, and 13-19 are allowed.

The following is an examiner's statement of reasons for allowance:

4. Independent Claims 1, 7, 11, and 16 are allowable because none of the prior art of record disclose a tri-mode over voltage protection and disconnect apparatus or a method of protection at least one peripheral device from an over-voltage condition using such apparatus wherein a thermal fuse disposed in series with

Art Unit: 2836

the neutral line in combination with the other claim limitations.

Claims 5-6, 9-10, 13-15, and 17-19 are dependent on allowable Claims and therefore allowable.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Boris Benenson whose telephone number is (571) 272-2048. The examiner can normally be reached on M-F (8:20-6:00) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (571) 272-2800 x 36. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Application/Control Number: 10/046,062 Page 5

Art Unit: 2836

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Boris Benenson Examiner Art Unit 2836

в.в.